

Manual Drilling Machine

▶ HD-14



▶ HD-25



★ Appearance Dimensions Please See Page 16/17.



| Specifications | | Model | HD-14 | HD-25 |
|--|--------------|-----------------|--------------|--------|
| | | Stroke Method | | Manual |
| Spindle Speed RPM (Steps) | 50HZ | 480-2300 (4) | 160-1342 (9) | |
| | 60HZ | 550-2700 (4) | 190-1610 (9) | |
| Working Ability | 1 spindle | Aluminum | 3-18 | 5-30 |
| | | Steel | 3-16 | 5-25 |
| | | Stainless Steel | 3-14 | 5-20 |
| | 2 spindle | Aluminum | 15 | 24 |
| | | Steel | 13 | 20 |
| | | Stainless Steel | 11 | 16 |
| | 4 spindle | Aluminum | 7 | 12 |
| | | Steel | 6 | 10 |
| | | Stainless Steel | 5 | 8 |
| Stroke (mm) | | 100 | 140 | |
| Spindle Type | | MT2 | MT3 | |
| Motor | | 1HP-4P | 2HP-6P | |
| Weight (kg) | | 91 | 199 | |
| * The presenting working abilities are very related with sharpness on drill bit, good lubrication and suitable cooling. * | | | | |

<http://goo.gl/BpPi4p>

Automatic Drilling Machine (Clutch Type)

▶ HD-120



▶ HD-250



▶ HD-350



★ Appearance Dimensions Please See Page 16/17.



| Specifications | | Model | HD-120 | HD-250 | HD-350 |
|--|--------------|-----------------|--------------|--------------|--------------|
| | | Stroke Method | | Automatic | Automatic |
| Spindle Speed RPM (Steps) | 50HZ | | 466-1675 (4) | 200-1600 (9) | 127-961 (8) |
| | 60HZ | | 560-2010 (4) | 210-1700 (9) | 150-1140 (8) |
| Working Ability | 1 spindle | Aluminum | 3-18 | 5-30 | 15-40 |
| | | Steel | 3-16 | 5-25 | 15-35 |
| | | Stainless Steel | 3-14 | 5-20 | 15-30 |
| | 2 spindle | Aluminum | 15 | 24 | 32 |
| | | Steel | 13 | 20 | 28 |
| | | Stainless Steel | 11 | 16 | 25 |
| | 4 spindle | Aluminum | 7 | 12 | 16 |
| | | Steel | 6 | 10 | 14 |
| | | Stainless Steel | 5 | 8 | 12 |
| Stroke (mm) | | | 93 | 133 | 153 |
| Spindle Type | | | MT2 | MT3 | MT4 |
| Motor | | | 1HP-4P | 2HP-6P | 3HP-4*8P |
| Weight (kg) | | | 102 | 206 | 492 |
| <p>* The presenting working abilities are very related with sharpness on drill bit, good lubrication and suitable cooling. *</p> | | | | | |

<http://goo.gl/ug0RHg>

Automatic Drilling Machine (Pneumatic)




▶ HD-PAM520

▶ HD-PAM520L



Model A : Multiple Step
Model B : Single Pass
Model C : Two Step



★ Appearance Dimensions Please See Page 18.



Operating Video


<http://goo.gl/ZPXKtr>

| Specifications | | Model | HD-PAM520 | HD-PAM520L |
|--|--------------|-----------------|-----------------------|-----------------------|
| | | | | |
| Stroke Method | | | Automatic (Pneumatic) | Automatic (Pneumatic) |
| Spindle Speed RPM (Steps) | 50HZ | | 480-2300 (4) | 160-1342 (9) |
| | 60HZ | | 550-2700 (4) | 190-1610 (9) |
| Working Ability | 1 spindle | Aluminum | 3-18 | 3-18 |
| | | Steel | 3-16 | 3-16 |
| | | Stainless Steel | 3-14 | 3-14 |
| | 2 spindle | Aluminum | 15 | 15 |
| | | Steel | 13 | 13 |
| | | Stainless Steel | 11 | 11 |
| | 4 spindle | Aluminum | 7 | 7 |
| | | Steel | 6 | 6 |
| | | Stainless Steel | 5 | 5 |
| Stroke (mm) | | | 93 | 133 |
| Spindle Type | | | MT2 | MT3 |
| Motor | | | 1HP-4P | 1HP-4P |
| Weight (kg) | | | 121 | 209 |
| <p>* The presenting working abilities are very related with sharpness on drill bit, good lubrication and suitable cooling. *</p> | | | | |

Automatic Drilling Machine (Hydraulic)



▶ HD-POM750



★ Appearance Dimensions Please See Page 18.



Operating Video

<http://goo.gl/LVumZl>

| | | | |
|--|--------------|-----------------------|-----------|
| Specifications | | Model | HD-POM750 |
| Stroke Method | | Automatic (Hydraulic) | |
| Spindle Speed RPM (Steps) | 50HZ | 160-1342 (9) | |
| | 60HZ | 190-1610 (9) | |
| Working Ability | 1 spindle | Aluminum | 5-30 |
| | | Steel | 5-25 |
| | | Stainless Steel | 5-20 |
| | 2 spindle | Aluminum | 24 |
| | | Steel | 20 |
| | | Stainless Steel | 16 |
| | 4 spindle | Aluminum | 12 |
| | | Steel | 10 |
| | | Stainless Steel | 8 |
| Stroke (mm) | | 133 | |
| Spindle Type | | MT3 | |
| Motor | | 2HP-6P | |
| Weight (kg) | | 229 | |
| * The presenting working abilities are very related with sharpness on drill bit, good lubrication and suitable cooling. * | | | |



บริษัท เอฟ เอ็น เอ็นจิเนียริง จำกัด
F.N.ENGINEERING CO.,LTD.

<http://www.fnengineering.co.th>

Tel: 0-2918-4441-2,0-2918-3378 [Auto] Hotline 08-1174-3345

Fax: 0-2918-3070,0-2918-2722

Email : sale@fnengineering.com , fnengineer@gmail.com